

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1919	service adj provis\$ network @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2007/03/07 09:38
L2	1919	service adj provis\$ network @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2007/03/07 09:38
L3	161	service adj switch\$ network ("Session Initiation Protocol" or "SIP") @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2007/03/07 09:38
L4	161	service adj switch\$ network ("Session Initiation Protocol" or "SIP") @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2007/03/07 09:38
L5	826	service network (payload OR header) ("Session Initiation Protocol" OR "SIP") @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2007/03/07 09:38
L6	161	service adj switch\$ network ("Session Initiation Protocol" or "SIP") @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2007/03/07 09:38
L7	278	(telecom\$ or mobile) header ("Session Initiation Protocol" or "SIP") service WITH request @ad<"20020222" NOT nokia.as.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2007/03/07 09:38
L8	724	(proxy or (intermedia\$2 adj server)) service near2 (route or redirect\$3 or provision or select) provider (wireless or mobile or cellular) @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2007/03/07 09:38
S1	1619	service adj provis\$ network @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/12 12:56
S2	4368	service near2 provis\$ network @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/05 13:37
S3	4165	service adj switch\$ network @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/05 13:38

## EAST Search History

S4	1739	service adj switch\$ adj point network @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/05 13:38
S5	117	service adj switch\$ network ("Session Initiation Protocol" or "SIP") @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/05 14:26
S6	3673	("Session Initiation Protocol" or "SIP") @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/06 10:08
S7	1210	service network ("Session Initiation Protocol" or "SIP") @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/05 14:26
S8	584	service network (payload OR header) ("Session Initiation Protocol" OR "SIP") @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/05 14:26
S9	11	service network (payload OR header) piggy\$ ("Session Initiation Protocol" OR "SIP") @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/05 14:26
S10	723	("Session Initiation Protocol" or "SIP") service SAME request @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/06 10:09
S11	461	telecom\$ ("Session Initiation Protocol" or "SIP") service SAME request @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/06 10:09
S12	371	telecom\$ ("Session Initiation Protocol" or "SIP") service WITH request @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/06 10:18
S13	3	telecom\$ piggy\$ ("Session Initiation Protocol" or "SIP") service WITH request @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/06 10:18
S14	148	telecom\$ header ("Session Initiation Protocol" or "SIP") service WITH request @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/06 10:19
S15	88	telecom\$ payload ("Session Initiation Protocol" or "SIP") service WITH request @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/06 10:18

## EAST Search History

S16	67	telecom\$ header payload ("Session Initiation Protocol" or "SIP") service WITH request @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/06 10:20
S17	43	telecom\$ header payload mobile ("Session Initiation Protocol" or "SIP") service WITH request @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/06 10:19
S18	7	telecom\$ header payload "mobile phone" ("Session Initiation Protocol" or "SIP") service WITH request @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/06 10:19
S19	63	telecom\$ header payload ("Session Initiation Protocol" or "SIP") service WITH request @ad<"20020222" NOT nokia.as.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/06 10:32
S20	6	709/227.ccls: header payload ("Session Initiation Protocol" or "SIP") service WITH request @ad<"20020222" NOT nokia.as.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/06 10:34
S21	251	header ("Session Initiation Protocol" or "SIP") service WITH request @ad<"20020222" NOT nokia.as.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/06 10:34
S22	143	telecom\$ header ("Session Initiation Protocol" or "SIP") service WITH request @ad<"20020222" NOT nokia.as.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/06 11:08
S23	198	(telecom\$ or mobile) header ("Session Initiation Protocol" or "SIP") service WITH request @ad<"20020222" NOT nokia.as.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/06 10:34
S25	60	telecom\$ ("Session Initiation Protocol" or "SIP") (header SAME request) (service WITH request) @ad<"20020222" NOT nokia.as.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/06 14:36
S33	1	("6687356").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/06 13:59
S34	1802	telecom\$ (header SAME service) service request @ad<"20020222" NOT nokia.as.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/06 14:37
S35	18	telecom\$ (header SAME "service code") service request @ad<"20020222" NOT nokia.as.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/06 14:43

## EAST Search History

S36	18	telecom\$ (header SAME "service code") service request @ad<"20020222" NOT nokia.as. NOT "quality of service"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/06 14:43
S38	14	telecom\$ (header SAME "service code") service request @ad<"20020222" NOT nokia.as. NOT quality\$10service	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/04/06 14:43
S39	136	"36542"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/12 11:30
S40	39	"79741"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/12 11:52
S41	1	"6687356"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/12 11:52
S42	1	"6687356" SLE	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/12 11:53
S43	1	"6687356".pn. (service or logic or environment)	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/12 11:56
S44	1	"6687356".pn. ("service logic" or environment)	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/12 11:56
S45	31651	service adj provi\$ network @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/12 12:59
S46	662	service adj provi\$ network SIP @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/12 13:00
S47	1294	service network SIP @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/12 13:00
S48	1265	service network SIP (rout\$ or direct\$ or provision) @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/12 13:00

## EAST Search History

S49	788	network SIP service WITH (rout\$ or direct\$ or provision) @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/12 13:03
S50	133	network SIP service WITH (rout\$ or direct\$ or provision) (multiple or many) WITH provider @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/12 13:23
S51	43	SIP service WITH (rout\$ or direct\$ or provision) (multiple or many) WITH provider @ad<"20020222" "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/12 13:26
S52	161	SIP service WITH (rout\$ or direct\$ or provision or select\$) provider @ad<"20020222" "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/12 13:48
S53	95	SIP service (rout\$ or direct\$ or provision or select\$) provider @ad<"20020222" "709"/\$.ccls. service near3 (multiple or many or various or variety)	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/12 14:14
S54	1610	@ad<"20020222" "709"/\$.ccls. (service near3 (multiple or many or various or variety)) and (network near3 (multiple or many or various or variety))	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/12 14:15
S55	53	SIP service (rout\$ or direct\$ or provision or select\$) provider @ad<"20020222" "709"/\$.ccls. (service near3 (multiple or many or various or variety)) and (network near3 (multiple or many or various or variety))	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/08/16 10:52
S56	7	SIP (service adj provider) with select @ad<"20020222" "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/12 14:48
S57	2	(multiple adj services) WITH (inside or within) WITH network @ad<"20020222" "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/12 14:59
S58	2	SIP (multiple adj services) WITH network @ad<"20020222" "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/12 14:59
S59	53	SIP service near2 (route or redirect\$3 or provision or select) provider @ad<"20020222" "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/08/16 12:34

## EAST Search History

S60	399	(proxy or (intermedia\$2 adj server)) service near2 (route or redirect\$3 or provision or select) provider @ad<"20020222" "709"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/08/16 13:15
S61	2	"Service Discovery Proxy" @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/08/16 13:14
S62	675	(proxy or (intermedia\$2 adj server)) service near2 (route or redirect\$3 or provision or select) provider (wireless or mobile or cellular) @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/08/16 13:19
S63	57	(proxy or (intermedia\$2 adj server)) SAME (service near2 (route or redirect\$3 or provision or select)) provider (wireless or mobile or cellular) @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/08/16 13:57
S64	3	("20030041146".pn. OR "20030005132".pn. OR "6687356".pn.)	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/08/16 18:28
S65	2	("20030041146".pn. OR "20030005132".pn. OR "6687356".pn.) (SIP or "Session Initiation Protocol")	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/08/16 18:30